



**120 rpm
MAXIMUM
ROTOR
SPEED**



**Honda GX160
(163 cc) or Honda
GX270 (270 cc)
GASOLINE
ENGINE**



**5.5 hp (4.1 kW)
or 9 hp (6.7 kW)
HORSEPOWER**



**36 in (91 cm)
4-BLADES**



PRO436

Our Pro436 comes standard with a 9hp class Honda Engine and lifting bale and can be equipped with either our Fine Pitch or newly redesigned Rapid Pitch handle. These trowels are built for the most demanding job-sites. Our Pro436 are available with either a 5.5hp or 9hp class Honda Engine and are a great choice for customers working in smaller areas.



Scan this QR code to learn more details about this product.



SPECIFICATIONS

SPECIFICATIONS		PRO436
ENGINE	Honda GX160 (163 cc) Honda GX270 (270 cc)	
HORSEPOWER CLASS	5.5 hp (4.1 kW) 9 hp (6.7 kW)	
FUEL TYPE	Gasoline	
ROTOR DIAMETER	36 in (91 cm) 4-blades	
MAXIMUM ROTOR SPEED	120 rpm	
TROWEL ARMS & SPIDER	Standard Duty	
WEIGHT	186 lb (84 kg) 222 lb (101 kg)	
DIMENSIONS (L X W X H)	72 x 38 x 36 in (182.8 x 96.5 x 91.4 cm)	
PART NO.	MODEL NO.	DESCRIPTION
049782A	TWP4365HF	PRO436 - 5.5 hp class engine, fine pitch handle, stationary guard ring, lift hook
063967A	TWP4365HP	PRO436 - 5.5 hp class engine, rapid pitch handle, stationary guard ring, lift hook
049783A	TWP4369HF	PRO436 - 9 hp class engine, fine pitch handle, stationary guard ring, lift hook
063968A	TWP4369HP	PRO436 - 9 hp class engine, rapid pitch handle, stationary guard ring, lift hook
PART NO.	MODEL NO.	HANDLE OPTIONS
063975	TWPHF-L	Fine pitch handle w/ carry bar & handle pad for PRO Walkers, 33 lb (15 kg)
070300	TWPHR-L	Rapid pitch handle w/ carry bar & handle pad for PRO Walkers, 33 lb (15 kg)

BLADE & PAN RECOMMENDATIONS

BLADES	PRO436
FINISH	015890V-4: 6" x 14", Finish - Silver Series
FLAT FINISH	051317-4: 8" x 14", Flat Finish - Silver Series
COMBO	016095V-4: 8" x 14", Combo - Silver Series COMES WITH THESE BLADES
CLIP ON FLOAT (RH)	02822614-4: 10" x 14", Clip-On Float - Silver Series
PLASTIC FINISH	047229-4: 6" x 14", Finish - Poly / Steel Backed
PANS	PRO436
CLIP-ON DISHED	N/A
CLIP ON FLAT	047128 - 36.5" O.D. 67° Lip Angle
SAFETY CATCH FLAT	047130 - 36.5" O.D. 67° Lip Angle



Fine pitch handles use a twist action to control blade pitch from flat to 28° and anything in between.



Rapid pitch handles use a ratcheting action to provide easy adjustment with the push or pull of a lever.